

Shinelux AIRWAX

Date 20.1.2017

Previous date: 30.4.2015

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier**1.1.1 Commercial Product Name**

Shinelux AIRWAX

1.2 Relevant identified uses of the substance or mixture and uses advised against**1.2.1 Recommended use**

Washing agent for vehicle.

1.3 Details of the supplier of the safety data sheet**1.3.1 Supplier**

Tammermatic Oy

Street address

Tesomanvaltatie 28

Postcode and post office

33300 Tampere

P.O.Box

PB 206

Postcode and post office

33101 Tampere

Telephone

+358-20 1373 403

Telefax

+358-20 1373 409

Business ID

1043549-7

Email

service@tammermatic.com

1.4 Emergency telephone number**1.4.1 Telephone number, name and address**

Poison centrum in Finland +358-9-4711

Local emergency phone 112

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Irritating to eyes.

1272/2008 (CLP)

Eye Irrit. 2, H319

2.2 Label elements**1272/2008 (CLP)**

GHS07

Signal word

Warning**Hazard Statements**

H319 Causes serious eye irritation.

Precautionary Statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

2.3 Other hazards

3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous components**CAS/EC and Reg. number**

111-76-2

01-2119475108-36

Chemical name of the substance

2-Butoxyethanol

Concentration Classification

0,3-2 %

Acute Tox. 4, Eye Irrit. 2, Skin Irrit. 2; H332 H312 H302 H319 H315

Shinelux AIRWAX

Date 20.1.2017

Previous date: 30.4.2015

68515-73-1	Alkyl polyglucoside	0,3-1,5 %	Eye Dam. 1; H318
01-2119488530-36	Amfoteric detergent	0,3-1,4 %	Eye Dam. 1; H318

3.3 Other information
does not exist**4. FIRST AID MEASURES****4.1 Description of first aid measures****4.1.2 Inhalation**

Fresh air, rest.

4.1.3 Skin contact

Remove contaminated clothing and rinse the skin with plenty of water.

4.1.4 Eye contact

Rinse under running water 10-15 min. Seek medical help immediately.

4.1.5 Ingestion

Wash out mouth thoroughly with water and give plenty of water or milk to drink. Seek medical help. Do not induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed**4.3 Indication of immediate medical attention and special treatment needed**

nursing according to symptoms

5. FIREFIGHTING MEASURES**5.1 Extinguishing media****5.1.1 Suitable extinguishing media**

Product does not ignite. Extinguishing means according to the environment.

5.1.2 Extinguishing media which must not be used for safety reasons

not known

5.2 Special hazards arising from the substance or mixture

not known

5.3 Advice for firefighters

In the case of large fire use full protective clothing and self-contained breathing apparatus with over pressure.

5.4 Specific methods

not known

6. ACCIDENTAL RELEASE MEASURES**6.1 Personal precautions, protective equipment and emergency procedures**

Use safety goggles and safety gloves (e.g. butyle, nitrile or laminated PE/EVOH). Wear appropriate protective clothing if necessary .

6.2 Environmental precautions

Do not allow to enter drinking water supplies, waste water or soil without diluting with plenty of water.

6.3 Methods and materials for containment and cleaning up

Absorb on an inert absorbent and transfer carefully to sealed container. Arrange for removal by disposal company. Rinse residues with plenty of water. Use protective equipment mentioned in 6.1.

6.4 Reference to other sections

does not exist

7. HANDLING AND STORAGE

Shinelux AIRWAX

Date 20.1.2017

Previous date: 30.4.2015

- 7.1 Precautions for safe handling**
Usual hygienic measures are necessary allowing for the risk of irritating to eyes.
- 7.2 Conditions for safe storage, including any incompatibilities**
Storing tight sealed in original packages in a dry, warm place.
- 7.3 Specific end use(s)**

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

- 8.1 Control parameters**
- 8.1.1 Threshold limits**
- | | | |
|-----------------|----------------------------|--------------------------------|
| 2-Butoxyethanol | 20 ppm (8 h) | 50 ppm (15 min) |
| | 98 mg/m ³ (8 h) | 250 mg/m ³ (15 min) |
- 8.1.2 Other information on limit values**
not known
- 8.2 Exposure controls**
- 8.2.1 Appropriate engineering controls**
Good general ventilation should be sufficient.
- 8.2.2 Individual protection measures**
- 8.2.2.1 Respiratory protection**
Normally not needed
- 8.2.2.2 Hand protection**
Use safety gloves mentioned in item 6.1. if necessary.
- 8.2.2.3 Eye/face protection**
Use safety goggles if there is possibilities for splashing.
- 8.2.2.4 Skin protection**
Use properly protecting clothes to avoid skin contact

9. PHYSICAL AND CHEMICAL PROPERTIES

- 9.1 Important Health Safety and Environmental Information**
- 9.1.1 Appearance**
White liquid.
- 9.1.2 Odour**
mild odour
- 9.1.4 pH**
4
- 9.1.6 Initial boiling point and boiling range**
100 - °C
- 9.1.7 Flash point**
does not exist
- 9.1.9 Flammability (solid, gas)**
not measured
- 9.1.10 Explosive properties**
- 9.1.10.1 Lower explosion limit**
does not exist
- 9.1.10.2 Upper explosion limit**
does not exist
- 9.1.11 Vapour pressure**
not measured
- 9.1.13 Relative density**
1
- 9.1.14 Solubility(ies)**
- 9.1.14.1 Water solubility**
miscible in all proportions
- 9.1.14.2 Fat solubility (solvent - oil to be specified)**
not measured
- 9.1.15 Partition coefficient: n-octanol/water**
not measured
- 9.1.18 Viscosity**
not measured
- 9.1.20 Oxidising properties**
does not exist
- 9.2 Other information**
does not exist

Shinelux AIRWAX

Date 20.1.2017

Previous date: 30.4.2015

10. STABILITY AND REACTIVITY

- 10.1 Reactivity**
- 10.2 Chemical stability**
Product is stable at normal temperature
- 10.3 Possibility of hazardous reactions**
- 10.4 Conditions to avoid**
not known
- 10.5 Incompatible materials**
not known
- 10.6 Hazardous decomposition products**
not known

11. TOXICOLOGICAL INFORMATION

- 11.1 Information on toxicological effects**
- 11.1.1 Acute toxicity**
2-Propanol: LD50=5045 mg/kg (oral, rat), LDLo=2770 mg/kg (hmn), LCLo=12800 ppm/3 h (inhl, mouse), LD50=12,8 g/kg (dermal, rabbit); 2-Butoxyethanol: LD50=470 mg/kg (oral, rat), TCLo=100 ppm (inhl, hmn; nose, eyes, CNS), TDLo=600 mg/kg (oral, hmn)
- 11.1.2 Irritation and corrosion**
Product irritates eyes and can also irritate skin. Long termed and/or repeated skin contact can cause irritation dermatitis.
- 11.1.3 Sensitisation**
not known
- 11.1.4 Subacute, subchronic and prolonged toxicity**
not known
- 11.1.5 STOT-single exposure**
Swallowing can irritate alimentary canal and cause nausea and diarrhea.
- 11.1.8 Other information on acute toxicity**
not known

12. ECOLOGICAL INFORMATION

- 12.1 Toxicity**
- 12.1.1 Aquatic toxicity**
not known
- 12.1.2 Toxicity to other organisms**
not known
- 12.2 Persistence and degradability**
- 12.2.1 Biodegradation**
Product is biologically degradable.
- 12.2.2 Chemical degradation**
not known
- 12.3 Bioaccumulative potential**
no bioaccumulation
- 12.4 Mobility in soil**
with water
- 12.5 Results of PBT and vPvB assessment**
- 12.6 Other adverse effects**
not known

Shinelux AIRWAX

Date 20.1.2017

Previous date: 30.4.2015

13. DISPOSAL CONSIDERATIONS**13.1 Waste treatment methods**

Contact your local waste disposal authority for advise.

14. TRANSPORT INFORMATION**14.1 UN number****14.2 UN proper shipping name****14.3 Transport hazard class(es)**

Transport regulations are not applied to this product

14.4 Packing group**14.5 Environmental hazards****14.6 Special precautions for users****14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code****15. REGULATORY INFORMATION****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

-

15.2 Chemical safety assessment

Chemical safety assesment has not be done.

16. OTHER INFORMATION**16.3 Key literature references and sources for data**

MSDS from the manufacturer. SAX: Dangerous Properties of Industrial Materials (11. edition).

16.5 List of relevant R phrases, hazard statements, safety phrases and/or precautionary statements

H302 Harmful if swallowed.
H312 Harmful in contact with skin.
H315 Causes skin irritation.
H318 Causes serious eye damage.
H332 Harmful if inhaled.

16.8 Additional information available from:

Tammermatic Oy tel. +358-20-1373 403

Date

20.1.2017